

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	Miwa-Hirokazu\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 09:56
L2	242	Enomoto-Hiromi\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 09:57
L3	474	Zhang-Hongyong\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 09:57
L4	712	1 or 2 or 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 09:57
L5	797614	(driv\$3 or circuit\$3) with (simultaneous\$3 or "same")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:05
L6	295	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 09:58
L7	341750	(driv\$3 or circuit\$3) with (simultaneous\$3 or "same" near3 (time or side))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 09:59
L8	109	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:03
L9	5727	(345/76-83 or 345/98 or 345/100 or 345/103).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:06

EAST Search History

L10	403353	(driv\$3 or circuit\$3) with (simultaneous\$3 or "same") and (group\$1 or block\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:09
L11	2584	9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:06
L12	21790842	@ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:06
L13	1623	11 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:06
L14	14167	(345/76-83 or 345/98 or 345/100 or 345/103 or 345/87-103).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:07
L15	16212	(345/76-83 or 345/98 or 345/100 or 345/103 or 345/87-103 or 345/204-205).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:07
L16	3534	10 and 15 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:08
L17	532846	(lcd or liquid: near3 crystal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:08
L18	3057	16 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:08
L19	61980	(driv\$3 or circuit\$3) with (simultaneous\$3 or "same") with (line\$1 or electrode\$1 or column\$1) and (group\$1 or block\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:09

EAST Search History

L20	1994	18 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:25
L21	2	"5028916".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:28
L22	35	("3668688" "3787834" "4036553" "4110662" "4317115" "4395709" "4427997" "4468659" "4471347" "4574280" "4600274" "4602292" "4613855" "4633242" "4644338" "4646074").PN. OR ("5028916").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/03 10:31
L23	2	"4825203".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:32
L24	24	("3848086" "3944999" "4113361" "4427978" "4511926" "4556880" "4574282" "4600274" "4653862").PN. OR ("4825203"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/03 10:35
L25	1	"5412397".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/03 10:35
L26	26	("4158860" "4481511" "4602292" "4789899" "4842371" "4908710").PN. OR ("5412397").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/03 10:36
L27	12	("4714921" "5028916" "5151689" "5398043" "5426447" "5510807" "5686936" "5708454" "5892493").PN. OR ("6731266"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/03 11:10
L28	1	us-20020080106-\$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/03 11:10

RESULT LIST

0 results found in the Worldwide database for:

driver and lcd and simultaneously in the title or abstract AND **20011217** as the publication date
(Results are sorted by date of upload in database)

Data supplied from the *esp@cenet* database - Worldwide


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

» Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "((driver or circuit) and simultaneously and (line or electrode or column) and lcd<in>metada..." [✉ e-mail](#)

Your search matched 10 of 1322957 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((driver or circuit) and simultaneously and (line or electrode or column) and lcd<in>metada...

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding






IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ **1. Displays for HDTV: direct-view CRT's and projection systems**
Gorog, I.;
[Proceedings of the IEEE](#)
Volume 82, Issue 4, April 1994 Page(s):520 - 536
Digital Object Identifier 10.1109/5.282238
[AbstractPlus](#) | Full Text: [PDF](#)(1700 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **2. Materials limitations of amorphous-Si:H transistors**
Ast, D.G.;
[Electron Devices, IEEE Transactions on](#)
Volume 30, Issue 5, May 1983 Page(s):532 - 539
[AbstractPlus](#) | Full Text: [PDF](#)(1112 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **3. Development of a field-portable imaging system for scene classification using multispectral data fusion algorithms**
Preston, E.; Bergman, T.; Gorenflo, R.; Hermann, D.; Kopala, E.; Kuzma, T.; Li, R.;
[Aerospace and Electronic Systems Magazine, IEEE](#)
Volume 9, Issue 9, Sept. 1994 Page(s):13 - 19
Digital Object Identifier 10.1109/62.312974
[AbstractPlus](#) | Full Text: [PDF](#)(808 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **4. A novel technology for a-Si TFT-LCD's with buried ITO electrode structure**
Kawachi, G.; Kimura, E.; Wakui, Y.; Konishi, N.; Yamamoto, H.; Matsukawa, Y.
[Electron Devices, IEEE Transactions on](#)
Volume 41, Issue 7, July 1994 Page(s):1120 - 1124
Digital Object Identifier 10.1109/16.293338
[AbstractPlus](#) | Full Text: [PDF](#)(428 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **5. Technology directions for portable computers**
Harris, E.P.; Depp, S.W.; Pence, W.E.; Kirkpatrick, S.; Sri-Jayantha, M.; Troutman, J.
[Proceedings of the IEEE](#)
Volume 83, Issue 4, April 1995 Page(s):636 - 658
Digital Object Identifier 10.1109/5.371971

[AbstractPlus](#) | Full Text: [PDF](#)(2040 KB) [IEEE JNL](#)
[Rights and Permissions](#)

-  **6. Advanced low-cost bare-die packaging technology for liquid crystal displ**
 Hwang, J.C.;
[Components, Packaging, and Manufacturing Technology, Part A, IEEE Transa](#)
[also Components, Hybrids, and Manufacturing Technology, IEEE Transactions](#)
 Volume 18, Issue 3, Sept. 1995 Page(s):458 - 461
 Digital Object Identifier 10.1109/95.465136
[AbstractPlus](#) | Full Text: [PDF](#)(456 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-  **7. Manufacturing cost of active-matrix liquid-crystal displays as a function of**
 Jurichich, S.; Wood, S.C.; Saraswat, K.C.;
[Semiconductor Manufacturing, IEEE Transactions on](#)
 Volume 9, Issue 4, Nov. 1996 Page(s):562 - 572
 Digital Object Identifier 10.1109/66.542171
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1028 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-  **8. Design and understanding of anisotropic conductive films (ACF's) for LC**
 Myung-Jin Yim; Kyung-Wook Paik;
[Components, Packaging, and Manufacturing Technology, Part A, IEEE Transa](#)
[also Components, Hybrids, and Manufacturing Technology, IEEE Transactions](#)
 Volume 21, Issue 2, June 1998 Page(s):226 - 234
 Digital Object Identifier 10.1109/95.705468
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(204 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-  **9. Recessed gate-data line-crossover structures employing an air-gap to reduce**
delay for TFT-LCD panel
 Fin-Woo Park; In-Hyuk Song; Min-Cheol Lee; Min-Koo Han;
[Electron Devices, IEEE Transactions on](#)
 Volume 48, Issue 12, Dec. 2001 Page(s):2716 - 2721
 Digital Object Identifier 10.1109/16.974695
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(138 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-  **10. An overview of flaws in emerging television displays and remedial video**
 de Haan, G.; Klompenhouwer, M.A.;
[Consumer Electronics, IEEE Transactions on](#)
 Volume 47, Issue 3, Aug. 2001 Page(s):326 - 334
 Digital Object Identifier 10.1109/30.964117
[AbstractPlus](#) | Full Text: [PDF](#)(1372 KB) [IEEE JNL](#)
[Rights and Permissions](#)



Canadian Intellectual
Property Office

Office de la propriété
intellectuelle du Canada

Canada

Français
Strategis

Contact Us
Site Map

Help
What's New

Search
About Us

Canada Site
Registration

strategis.gc.ca



CIPO Home

Patents Main Page

PATENTS
DATABASE

Search Options

Basic

Number

Boolean

Advanced

Help

Content

Searching

Search Language

FAQ

Disclaimer

Foreign Patent Links

Decisions of the
Commissioner of
Patents

Trade-marks
Database

Copyrights Database

Industrial Designs
Database

Canadian Patents Database

Search Results 03/03/2006 - 12:35:24

Search Query :
(((driver or circuit or driving) and (lin

Query: (((driver or circuit or driving) and (line or column or electrode) and simultaneously and lcd) <in> claims)

15 documents out of 1664855 matched your query. Click on its number to view the details of the document.

Note: All document detail pages now appear on a new Browser Window.

1. [2391572](#) METHOD OF AND SYSTEM FOR ENABLING BRAND-IMAGE COMMUNICATION BETWEEN VENDORS AND CONSUMERS 100%
2. [2164982](#) REAL TIME ACTIVE ADDRESSING DISPLAY DEVICE AND METHOD UTILIZING FAST WALSH TRANSFORM CIRCUIT 100%
3. [2109951](#) DC INTEGRATING DISPLAY DRIVER EMPLOYING PIXEL STATUS MEMORIES 100%
4. [2041819](#) COLOR LCD DISPLAY CONTROL SYSTEM 100%
5. [2150454](#) DATA DRIVER CIRCUIT FOR USE WITH AN LCD DISPLAY 99%
6. [2075441](#) AM TFT LCD UNIVERSAL CONTROLLER 99%
7. [2437000](#) DIGITAL VIDEO SCREEN DEVICE 98%
8. [1319578](#) TRANSDERMAL DRUG DELIVERY DEVICE 98%
9. [2108582](#) HEAD-MOUNTED IMAGE DISPLAY APPARATUS 97%

- | | | | |
|-----|----------------|--|-----|
| 10. | <u>2332113</u> | METHOD FOR TRANSMITTING AND
STORING VALUE AND VALUE STORE
ELECTRIC POWER METER USING THE
SAME | 93% |
| 11. | <u>1290395</u> | PROGRAM CLOCK FOR AN ELECTRONIC
DEMAND REGISTER WITH AUTOMATIC
CALIBRATION BASED ON SENSED LINE
FREQUENCY | 92% |
| 12. | <u>2446722</u> | OXIME ESTER PHOTOINITIATORS
HAVING A COMBINED STRUCTURE | 87% |
| 13. | <u>2290437</u> | VIDEO-ASSISTED APPARATUS FOR
HEARING IMPAIRED PERSONS | 87% |
| 14. | <u>2250968</u> | METHOD AND APPARATUS FOR
DISPLAYING THREE-DIMENSIONAL
IMAGES | 87% |
| 15. | <u>2114426</u> | A PUBLIC ACCESS FACSIMILE SYSTEM | 85% |

▲

Important Notices